



US006601080B1

(12) **United States Patent**
Garg

(10) **Patent No.:** **US 6,601,080 B1**
 (45) **Date of Patent:** **Jul. 29, 2003**

(54) **HYBRID REPRESENTATION SCHEME FOR FACTOR L IN SPARSE DIRECT MATRIX FACTORIZATION**

(75) **Inventor:** **Rajat P. Garg, Sunnyvale, CA (US)**

(73) **Assignee:** **Sun Microsystems, Inc., Santa Clara, CA (US)**

(*) **Notice:** Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) **Appl. No.:** **09/510,911**

(22) **Filed:** **Feb. 23, 2000**

(51) **Int. Cl.:** **G06F 7/38**

(52) **U.S. Cl.:** **708/502; 708/490**

(58) **Field of Search:** **708/446, 607, 708/160, 200, 490, 520; 710/68; 707/101**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,107,452 A * 4/1992 Karmarkar et al. 708/607
 5,490,278 A * 2/1996 Mochizuki 708/446
 5,548,798 A * 8/1996 King 710/68
 5,983,230 A * 11/1999 Gilbert et al. 707/101
 6,397,236 B1 * 5/2002 Garg et al. 708/446
 6,470,368 B1 * 10/2002 Garg et al. 708/446

OTHER PUBLICATIONS

Anshul Gupta, Highly Scalable Parallel Algorithms for Sparse Matrix Factorization, May 1997, IEEE Transactions on Parallel and Distributed Systems vol. 8 No. 5, p. 502-520.*

Groz et al., Processing Apparatus for Performing Preconditioning Process through Multilevel Block Incomplete Factorization, Jul. 25, 2002, U.S. patent application Publication No. US2002/0099748 A1.*

Heath et al.; "Parallel Algorithms for Sparse Linear Systems", Parallel Algorithms for Matrix Computations; Society for Industrial and Applied Mathematics by Gallivan, et al.; Copyright 1990; pp. 83-124.

* cited by examiner

Primary Examiner—Chuong Dinh Ngo

Assistant Examiner—Chat C. Do

(74) **Attorney, Agent, or Firm**—Park, Vaughan & Fleming LLP; Pavel I. Pogodin

(57) **ABSTRACT**

A system that efficiently performs a CMOD operation in solving a system of equations involving a sparse coefficient matrix by identifying supernodes in the sparse matrix. Each supernode comprises a set of contiguous columns having a substantially similar pattern of non-zero elements. The system performs a CMOD operation on each supernode, by determining a structure for the supernode, and computing a function of the structure. The system uses a one-dimensional trapezoidal representation for the supernode during the CMOD operation, if the result of the function is lower than a threshold value, and otherwise uses a two-dimensional rectangular representation for the supernode. The function of the structure of the supernode is a function of a number of computational operations involved in computing a lower-triangular sub-block portion of the supernode and a number of computational operations involved in computing a rectangular sub-block portion of the supernode.

18 Claims, 7 Drawing Sheets

